

BIBLIOGRAFÍA

- Abad, N., Caturla, R.N., Baeza, J., Bladé, C., Vieira, F., Carbó, E., Valdecantos, A., Bonet, A., Serrasolsas, I., Guàrdia, R., Raventós, J., Alloza, J.A., Bellot, J. y V.R. Vallejo. 1997. Regeneración de los montes quemados. *En: La Restauración de la Cubierta Vegetal en la Comunidad Valenciana*. V.R. Vallejo (ed.). CEAM, Valencia. 51-148.
- Abbas, H., Barbero, M. y R. Loisel. 1984. Réflexions sur le dynamisme actuel de la régénération naturelle du pin d'Alep (*Pinus halepensis* Mill.) dans les pinèdes incendiées en Provence calcaire (de 1973 à 1979). *Ecologia Mediterranea* X (3-4): 85-95.
- Aber, J.D. y J.M. Melillo. 1991. *Terrestrial ecosystems*. Saunders College Publishing, Philadelphia.
- Adams, F. 1980. Interactions of phosphorus with other elements in soils and in plants. *En: The role of phosphorus in agriculture*. ASA-CSSA-SSSA. Madison. 655-680.
- Adams, J.A., Warren, J.H. y K.C. Cameron. 1991. Potential nitrogen and phosphorus leaching from a sandy soil under *Pinus radiata* following amendment with municipal sewage sludge. *En: 3rd Australian Forest Soils and Nutrition Conf.* Pp. 111.
- Aerts, R. 1996. Nutrient resorption from senescing leaves of perennials: are there general patterns? *Journal of Ecology* **84**: 597-608.
- Aguilar, R. y S.R. Loftin. 1994. Rangeland restoration with treated municipal sewage sludge. *En: Sewage sludge: Land utilization and the environment*. ASA-CSSA-SSSA. Pp: 211-220.
- Aguilar, R., Loftin, S.R. y P.R. Fresquez. 1994. Rangeland restoration with treated municipal sewage sludge. *En: Sewage sludge: Land utilization and the environment*. ASA-CSSA-SSSA, SSSA Miscellaneous Publication. Madison, WI. Pp: 211-220.
- Ahlström, K., Persson, H. e I. Börjesson. 1988. Fertilization in a mature Scots pine (*Pinus sylvestris* L.) stand – effects on fine roots. *Plant and Soil* **106**: 179-190.
- Albaladejo, J. 1995. Soil rehabilitation and desertification control: case study in Murcia. *En: Desertification in a European context: Physical and socio-economic aspects*. Fantechi, R., Peter, D., Balabanis, P. y J.L. Rubio (eds.). European Union, Brussels. Pp: 213-224.
- Albaladejo, J. y E. Díaz. 1990. Degradación y regeneración del suelo en el litoral mediterráneo español: experiencias en el proyecto LUCDEME. *En: Degradación y regeneración del suelo en condiciones ambientales mediterráneas*. CSIC. Pp: 191-214.
- Albaladejo, J., Stocking, M., Díaz, E. y V. Castillo. 1994. Land rehabilitation by urban refuse amendments in a semi-arid environment: effect on soil chemical properties. *Soil Technology* **7**: 249-260.
- Albeza, E., Arques, E., Bernabé, A., Escarré, A., Jiménez-Ortiz, T., Lledó, M.J. y J.R. Sánchez. 1999. Experiencias para la mejora de masas forestales. *En: Reunión de Coordinación del Programa I+D sobre la Restauración de la Cubierta Vegetal en la Comunidad Valencia, Castellón, 22-24 Septiembre 1999*. Pp: 21-40.
- Albiach, R., Canet, R., Pomares, F. y F. Ingelmo. 2001. Organic matter components, aggregate stability and biological activity in a horticultural soil fertilized with different rates of two sewage sludges during ten years. *Bioresource Technology* **76**: 125-129.
- Alcañiz, J.M., Comellas, L. y M. Pujolà. 1996. *Manual de restauració d'activitats extractives amb fangs de depuradora: recuperació de terrenys marginals*. Junta de Sanejament, Generalitat de Catalunya, Barcelona.
- Allen, M.F. 1991. *The ecology of mycorrhizae*. Cambridge University Press. Cambridge.
- Allison, L.E. y C.E. Moodie. 1965. Methods of soil analysis. *Agronomy* **9**.
- Alonso, F.J., Viladrich, O., Oliveira, G. e I. Serrasolses. 2000. Use of sewage sludge for restoration of degraded land. *En: Third International Congress of the European Society for Soil Conservation (ESSC): Man and Soil in the Third Millennium*. 28 March-1 April 2000. Valencia.
- Alloza, J.A. y V.R. Vallejo. 1995. *Características alométricas de los plantones de pino carrasco (Pinus halepensis)*. Serie: Restauración Forestal N° 1. Cuadernos CEAM. Valencia.
- Al-wabel, M.I., Alomran, A.M., Shalaby, A.A. y M.I. Choudhary. 1998. Effect of sewage sludge on some chemical properties of calcareous sandy soils. *Commun. Soil Sci. Plant Anal.* **29**: 2713-2724.
- Amaranthus M.P. y J.M. Trappe. 1993. Effects of erosion on ecto- and VA-mycorrhizal inoculum potential of soil following forest fire in southwest Oregon. *Plant and Soil* **150**: 341-49.
- Araus, J.L., Bort, J., Ceccarelli, S. y S. Grando. 1997. Relationship between leaf structure and carbon isotope discrimination in field grown barley. *Plant Physiology and Biochemistry* **35**: 533-541.

- Arianoutsou, M. y G. Ne'eman. 2000. Post-fire regeneration of natural *Pinus halepensis* forests in the East Mediterranean Basin. *En: Ecology, biogeography and management of Pinus halepensis and P. brutia forest ecosystems in the Mediterranean basin*. Ne'eman, G. y L. Trabaud (eds.). Backhuys Publishers. Leiden. Pp: 269-289.
- Aronson, J., Floret, C., Le Floc'h, E., Ovalle, C. y R. Pontanier. 1993. Restoration and Rehabilitation of Degraded Ecosystems in Arid and Semi-Arid Lands. I. A View from the South. *Rest Ecol.* March: 8-17.
- Attiwill, P.M. y M.A. Adams. 1993. Nutrient cycling in forests. *New Phytologist* **124**: 561-582.
- Aubert, G. 1990. Les teneurs en métaux lourds dans les sols naturels et les sols enrichis en résidus d'épuration urbaine du Sud de la France. *Ecologia Mediterranea* XVI: 383-393.
- Azcón, R., Handley, L.L. y C.M. Scrimgeour. 1998 The $\delta^{15}\text{N}$ of lettuce and barley are affected by AM status and external concentration of N. *New Phytologist* **138**: 19-26.
- Badía Villas, D. y C. Martí Dalmau. 1994. Mejora del valor pastoral y medio-ambiental de zonas semiáridas degradadas mediante técnicas de revegetación, remicorrización y acolchado: II. Aplicación en suelos margosos (*Calcaric Regosol*). *Lucas Mallada*, **6**: 37-53.
- Baeza, M.J., Pastor, A., Martín, J. y M. Ibáñez. 1991. Mortalidad post-implantación en repoblaciones de *Pinus halepensis*, *Quercus ilex*, *Ceratonia siliqua* y *Tetraclinis articulata* en la provincia de Alicante. *Studia OEcologica* VIII:139-146.
- Ballard, R. 1980. Phosphorus nutrition and fertilization of forest trees. *En: The role of phosphorus in agriculture*. ASA-CSSA-SSSA. Madison, WI. Pp: 763-804.
- Ballard, T.M. y R.E. Carter. 1984. Evaluating forest stand nutrient status. *Land Manag. Rep.* 20, B.C. Min. For., Victoria, B.C., 60 pp.
- Banerjee, M.R., Burton, D.L. y S. Depoe. 1997. Impact of sewage sludge application on soil biological characteristics. *Agric. Ecosystems Environ.* **66**: 241-249.
- Barbéro, M., Loisel, R., Quézel, P., Richardson, D.M. y F. Romane. 1998. Pines of the Mediterranean Basin. *En: Ecology and biogeography of Pinus*. Richardson, D.M. (ed.). Cambridge University Press. Pp: 153-170.
- Barton, P.G. 1984. Preliminary results from spraying irrigating domestic sewage effluent under *Pinus radiata* at Waitangi forest. *En: Land treatment of wastes. Proceedings of a seminar*. Edited by R.J. Wilcock. Water & Soil Miscellaneous Publication No. 69: 63-84.
- Barton, P.G., Dyck, W.J. y P.N. McFarlane. 1987. Recent developments in irrigating wastewaters into production forests. *En: 56th ANZAAS Congress*, Palmerston North.
- Bastide, B. 1987. Effects du dessèchement du sol sur les régénérations de pins en milieu dunaire littoral. *En: Time scales and water stress: Proceedings of 5th international conference on Mediterranean ecosystems*. F. Di Castri, C. Floret, S. Rambal, y J. Roy. (eds.). The International Union of Biological Sciences (IUBS), Paris. pp: 143-148.
- Bastion, R.K. 1986. Overview on sludge utilization. *En: The Forest Alternative for the Treatment and Utilization of Municipal and Industrial Waste*. D.W. Cole, C.L. Henry y W.L. Nutter (eds.). Univ. of Washington Press, Seattle. Pp: 7-25.
- Bautista, S. 1999. *Regeneración post-incendio de un pinar (Pinus halepensis, Miller) en ambiente semiárido. Erosión del suelo y medidas de conservación a corto plazo*. Tesis Doctoral. Universidad de Alicante.
- Baven, L.D., Gardner, W.H. y W.R. Gardner. 1972. Retención del agua en el suelo. *En: Física de suelos*. Unión Tipográfica Editorial Hispano-Americana.
- Bayes, C.D., Davis, J.M. y C.M.A. Taylor. 1987. Sewage sludge as a forest fertilizer: experience to date. *Water Pollut. Control*, March 1987: 138-171.
- Bazzaz, F.A. y P.M. Wayne. 1994. Coping with environmental heterogeneity: the physiological ecology of tree seedlings regeneratin across the gap-understory continuum. *En: Exploitation of environmental heterogeneity by plants, ecophysiological processes above and belowground*. M.M.Caldwell y R.W.Pearcy (eds.). Academic Press, London. Pp: 391-414.
- Beckjord, P.R., Melhuis, J.H.Jr. y M.S. McIntosh. 1985. Effects of nitrogen and phosphorus fertilization on growth and formation of ectomycorrhizae of *Quercus alba* and *Q. rubra* seedlings by *Pisolithus tinctorius* and *Scleroderma auranteum*. *Can. J. Bot.* **63**: 1667-1680.
- Bell, R.L. y D. Binkley. 1989. Soil nitrogen mineralization and immobilization in response to periodic prescribed fire in a loblolly pine plantation. *Can. J. For. Res.* **19**: 816-820.
- Bellot, J., Cortina, J., Sánchez, J.R., Raventós, J., Bonet, A., Vilagrosa, A., Caturla, R., Ortiz de Urbina, J.M., Hernández, N., Chirino, E., Rubio, E., Maestre, F., Cremades, M. y D. Fonseca. 1999. Restauración forestal en clima semiárido e investigación específica de los problemas de regeneración y control de la erosión en

- zonas con riesgo de desertificación. *En*: Reunión de Coordinación del Programa I+D sobre la Restauración de la Cubierta Vegetal en la Comunidad Valenciana, Castellón, 22-24 Septiembre 1999. Pp: 3-20.
- Bennett, L.T., Weston, C.J., Judd, T.S., Attiwill, P.M. y P.H. Whiteman. 1996. The effects of fertilizers on early growth and foliar nutrient concentrations of three plantations eucalypts on high quality sites in Gippsland, southeastern Australia. *For Ecol. Manage.* **89**: 213-226.
- Bennett, L.T., Weston, C.J. y P.M. Attiwill. 1997. Biomass, nutrient content and growth response to fertilisers of six-year-old Eucalyptus globulus plantations at three contrasting sites in Gippsland, Victoria. *Aust.J.Bot.* **45**: 103-121.
- Benyon, R., Hutchinson, D., Stewart, H.T.L. y P.J. O'Shaughnessy. 1991. Establishment of eucalypt plantations irrigated with sewage at Werribee, Victoria. *En*: 3rd Australian Forest Soils and Nutrition Conf. Pp: 107-108
- Berch, S.M. y A.L. Roth. 1993. Ectomycorrhizae and growth of Douglas-fir seedlings preinoculated with *Rhizopogon vinicolor* and outplanted on eastern Vancouver Island. *Can. J. For. Res.* **23**: 1711-1715.
- Bergmann, W. 1992. *Nutritional disorders of plants*. G. Fisher Verlag, Jena.
- Berry, C.R. 1977. Initial response of pine seedlings and weeds to dried sewage sludge in rehabilitation of an eroded forest site. *USDA FSR Note SE* – 249.
- Bigg, W.L. y J.W. Schalaus. 1990. Mineral nutrition and the target seedling. *En*: Target seedling symposium: Proceedings, combined meeting of the western forest nursery associations. USDA Forest Service Rocky Mountain Forest and Range Experiment Station. Report RM-200. Pp: 139-160.
- Binkley, D. 1986. *Forest nutrition management*. John Wiley & Sons. New York. 290 pp.
- Binkley, D. 1993. *Nutrición forestal. Prácticas de manejo*. Editorial Limusa, S.A. de C.V. México, D.F. 518 pp.
- Binkley, D., Richter, D., David, M.B. y B. Caldwell. 1992. Soil chemistry in a loblolly pine forest with interval burning. *Ecological Applications* **2**: 157-164.
- Bloom, A.J., Chapin, F.S. y H.A. Mooney. 1985. Resource limitations in plants - an economic analysis. *Ann. Rev. Ecol. Syst.* **16**: 363-392.
- Bonneau, M. 1986. Fertilisation à la plantation. *R.F.F.* XXXVIII: 293-300.
- Boot, R.G.A. y M. Mensink. 1991. The influence of nitrogen availability on growth parameters of fast- and slow-growing perennial grasses. *En*: Plant root growth. An ecological perspective. D. Atkinson, ed. Blackwell Scientific Publications. Oxford. Pp: 161-168.
- Boutton, T.W. 1991. Stable carbon isotope ratios of natural materials: I. Sample preparation and mass spectrometric analysis. *En*: Carbon Isotope Techniques. Coleman, D.C. y B. Fry (eds.). Academic Press. San Diego.
- Bowen, G.D. 1973. *En*: Ectomycorrhizae - Their Ecology and Physiology. G.D. Marks y T.T. Kozlowski (éds.). Academic Press, New York, pp. 151-205.
- Bradbury, D.E. 1981. The physical geography of the Mediterranean lands. *En*: Ecosystems of the world. XI. Mediterranean-type shrublands. F. Di Castri, F., D.W. Goodall, y R.L. Specht. (eds). Elsevier, Amsterdam. Pp: 53-62.
- Bradshaw, A.D. y M.J. Chadwick. 1988. *Restauració de terres*. Manuals de la Diputació de Barcelona 4. Barcelona.
- Brechelt, A. 1989. Effect of different organic manures on the efficiency of VA mycorrhiza. *Agriculture, Ecosystems and Environment*, **29**: 55-58.
- Brix, H. 1983. Effects of thinning and nitrogen fertilization on growth of Douglas-fir; relative contributions of foliage quality and efficiency. *Can.J.For.Res.* **13**: 167-175.
- Brockley, R.P. 1992a. Response of thinned, immature lodgepole pine to nitrogen fertilization: six-year growth response. FRDA II, Rep. 184. B.C. Ministry of Forests. 34 pp.
- Brockley, R.P. 1992b. Effects of fertilization on the nutrition and growth of a slow-growing Englemann spruce plantation in south central British Columbia. *Can. J. For. Res.* **22**: 1617-1622.
- Brockway, D.G. 1983. Forest floor, soil, and vegetation responses to sludge fertilization in red and white pine plantations. *Soil Sci.Soc.Am.J.* **47**: 776-784.
- Brockway, D.G., Urie, D.H., Nguyen, P.V. y J.B. Hart. 1986. Wastewater and sludge nutrient utilization in forest ecosystems. *En*: The forest alternative for treatment and utilization of municipal and industrial wastes. Cole, D.W., Henry, C.L. y W.L. Nutter (eds.). University of Washington Press, Seattle. Pp: 221-245.
- Brofas, G., Michopoulos, P. y D. Alifragis. 2000. Sewage sludge as an amendment for calcareous bauxite mine spoils reclamation. *Journal of Environmental Quality* **29**: 811-816.
- Broncano, M.J. 1995. *Estudio de la revegetación de zonas potencialmente ocupadas por bosques mixtos de pino carrasco y encina*. Trabajo experimental de máster. Universidad Autónoma de Barcelona, Barcelona.

- Broncano, M.J., Riba, M. y J. Retana. 1998. Seed germination and seedling performance of two Mediterranean tree species, holm oak (*Quercus ilex* L.) and Aleppo pine (*Pinus halepensis* Mill.): a multifactor experimental approach. *Plant Ecology* **138**: 17-26.
- Browning, M.H.R. y R.D. Whitney. 1992. The influence of phosphorus concentration and frequency of fertilization and ectomycorrhizal development in containerized black spruce and jack pine seedlings. *Can. J. For. Res.* **22**: 1263-1270.
- Buchmann, N., Kao, W.Y. y J. Ehleringer. 1997. Influence of stand structure on carbon-13 of vegetation, soils, and canopy air within deciduous and evergreen forests in Utah, United States. *Oecol.* **110**: 109-119.
- Buning, W.G.W. 1992. New techniques of sludge management in the Netherlands. *European Water Pollution Control* **2**: 39-45.
- Burdett, A.N. 1990. Physiological processes in plantation establishment and the development of specifications for forest planting stocks. *Can. J. For. Res.* **22**: 1263-1270.
- Bussotti, F., Borghini, F., Celesti, C., Leonzio, C. y P. Bruschi. 2000. Leaf morphology and macronutrients in broadleaved trees in central Italy. *Trees* **14**: 361-368.
- Camps, F. y J. Bonany. 1997. Evaluación técnica de la reforestación de tierras agrícolas con especies de crecimiento rápido para la producción de madera de trituración en Catalunya. *En: Libro de actas del I Congreso Forestal Hispano-Luso. Tomo VI. Pamplona, 23-27 Junio 1997. Pp: 33-38.*
- Canadell, J. y M. Vilá. 1992. Variation in tissue element concentrations in *Quercus ilex* L. over a range of different soils. *Vegetatio* **99-100**: 273-282.
- Canham, C.D., Berkowitz, A.R., Kelly, V.R., Lovett, G.M., Ollinger, S.V. y J. Schnurr. 1996. Biomass allocation and multiple resource limitation in tree seedlings. *Can.J.For.Res.* **26**: 1521-1530
- Carreira, J.A., Lajtha, K. y F.X. Niell. 1997. Phosphorus transformations along a soil/vegetation series of fire-prone, dolomitic, semi-arid shrublands of southern Spain - Soil P and Mediterranean shrubland dynamics. *Biogeochemistry* **39**: 87-120.
- Carreira, J.A., Niell, X. y A. Asensi. 1991. *Orsis* **6**: 199-214.
- Casals, P., Romanyà, J., Cortina, J., Bottner, P., Coùteux, M.-M. y Vallejo, V.R. (2000). CO₂ efflux from a Mediterranean semi-arid forest soil. I. Seasonality and effects of stoniness. *Biogeochemistry* **48**: 261-281.
- Castell, C. 1997. *Ecofisiologia de dues espècies rebrotadores mediterrànies: l'arboç (Arbutus unedo) i l'alzina (Quercus ilex)*. Institut d'Estudis Catalans. Barcelona.
- Causton, D.R. y J.C. Venus. 1981. *The biometry of plant growth*. Edward Arnold (Publ.). 307 pp.
- Cenni, E., Busotti, F. y L. Galeotti. 1998. The decline of a *Pinus nigra* Arn reforestation stand on a limestone substrate: the role of nutritional factors examined by means of foliar diagnosis. *Ann. Sci. For.* **55**: 567-576.
- Cerdà, A. 1995. Spatial distribution of infiltration on the matorral slopes in a Mediterranean environment. *En: Desertification in an European context. Fantechi, R., Peter, D., Balabanis, P. y Rubio J.L. (eds.). European Commission, Brussels. Pp: 427-436.*
- Ceulemans, R. y M. Mousseau. 1994. Effects of elevated atmospheric CO₂ on woody plants: a review. *Tansley Review No. 71. New Phytol.* **127**: 425-446.
- Chakravarty, P. y L. Chatarpaul. 1990. Effect of fertilization on seedling growth, ectomycorrhizal symbiosis and nutrient uptake in *Larix laricina*. *Can. J. For. Res.* vol. **20**: 245-248.
- Chalot, M., Battut, P.M., Botton, B., Le Tacon, F. y J. Garbaye. 1988. Recent advances in physiological and practical aspects of ectomycorrhizal effects on tree development. *Acta Oecol. Oecol. Appl.* **9**: 333-351.
- Chandler, J.W. y J.E. Dale. 1995. Nitrogen deficiency and fertilization effects on needle growth and photosynthesis in Sitka spruce (*Picea sitchensis*). *Tree Physiol* **15**: 813-817.
- Chapin III, F.S. 1980. The mineral nutrition of wild plants. *Annu. Rev. Ecol. Syst.* **11**: 233-260.
- Chapin III, F.S. 1991. Effects of multiple environmental stresses on nutrient availability and use. *En: Response of plants to multiple stresses. Mooney, H.A., Winner, W.E. y E.J. Pell (eds.). Academic Press, San Diego, CA. Pp: 67-88.*
- Chapin III, F.S., Bloom, A.J., Field, C.B. y R.H. Waring. 1987. Plant responses to multiple environmental factors. *Bioscience* **37**: 49-57.
- CMA. 1973. Determinaciones analíticas de suelos. Normalización de métodos. 1. pH, materia orgánica y nitrógeno. *Anales Edaf. Agrob.* XXXII: 1153-1172.
- Colpaert, J.V., Van Laere, A. y J.A. Van Assche. 1996. Carbon and nitrogen allocation in ectomycorrhizal and non-mycorrhizal *Pinus sylvestris* L. seedlings. *Tree Physiol* **16**: 787-793.

- Constantini, A., Loch, R.J., Glanville, S.F. y D.N. Orange. 1995. Evaluation of potential to dispose of sewage sludge. I. Soil hydraulic and overland flow properties of *Pinus* plantations in Queensland. *Aust. J. Soil. Res.* **33**: 1041-1052.
- Coppenet, M. y C. Juste. 1987. Oligoelementos indispensables para la vida de las plantas. Fenómenos de toxicidad. *En: Edafología. 2. Constituyentes y propiedades del suelo.* Bonneau, M. y B. Souchier. Masson, s.a. 410-418.
- Cortina, J. 1992. *Efectes de les plantacions de Pinus radiata D. Don sobre la fertilitat del sòl.* Tesi Doctoral. Universitat de Barcelona.
- Cram, M.M., Mexal, J.G. y R. Souter. 1999. Successful reforestation of South Carolina sandhills is most influenced by seedling inoculation with *Pisolithus tinctorius* on the nursery. *South. J. Applied For.* **23**: 46-52.
- Cuevas, E. y E. Medina. 1988. Nutrient dynamics within amazonian forests. II. Fine root growth, nutrient availability and leaf litter decomposition. *Oecologia* **76**: 222-235.
- Damesin, C., Rambal, S. y R. Joffre. 1998a. Seasonal and annual changes in leaf $\delta^{13}\text{C}$ in two co-occurring Mediterranean oaks: relations to leaf growth and drought progression. *Functional Ecology* **12**: 778-785.
- Damesin, C., Rambal, S. y R. Joffre. 1998b. Co-occurrence of trees with different leaf habit: a functional approach on Mediterranean oaks. *Acta Oecologica* **19**: 195-204.
- Davidson, R., Gagnon, D., Maufette, Y. y H. Hernández. 1998. Early survival, growth and foliar nutrients in native Ecuadorian trees planted on degraded volcanic soils. *For.Ecol.Manage.* **105**(1-3): 1-19.
- De Simón, E., Mintegui, J.A., García, J.L. y J.C. Robredo. 1993. *La restauración hidrológico-forestal en las cuencas hidrográficas de la vertiente Mediterránea.* Junta de Andalucía, Granada.
- De Wit, A.M.W. y L.C. Brouwer. 1998. The effect of afforestation as a restoration measure in a degraded area in a Mediterranean environment near Lorca (Spain). *Ecosystems and Sustainable Development* 165-170.
- Di Castri, F. 1981. Mediterranean-type shrublands of the world. *En: Ecosystems of the world. XI. Mediterranean-type shrublands.* F. Di Castri, D.W. Goodall, y R.L. Specht (eds.). Elsevier. Amsterdam.
- Díaz, E., Roldán, A., Lax, A. y J. Albaladejo. 1994. Formation of stable aggregates in degraded soil by amendment with urban refuse and peat. *Geoderma* **63**: 277-288.
- Díaz, G. y M. Honrubia. 1993. Infectivity of mine soils from Southeast Spain. II. Mycorrhizal population levels in spoilt sites. *Mycorrhiza*, **4**: 85-88.
- Duchaufour, P. 1995. *Pédologie. Sol, Végétation, Environnement.* Masson Eds. Paris. 336 pp.
- Dutil, P. 1987. La caliza en los suelos. Calcio y magnesio. *En: Edafología. 2. Constituyentes y propiedades del suelo.* M. Bonneau y B. Souchier. Massons, s.a. 374-380.
- Ed-Derfoufi, F. 1986. *Gestion et dynamique des nutriments dans des taillis de chêne vert âgés et très jeunes.* These. Université des Sciences et Techniques du Languedoc.
- Edmonds, R.L. y K.P. Mayer. 1981. Survival of sludge-associated pathogens and their movement into groundwater. *En: Municipal sludge application to Pacific Northwest forest lands.* C.L. Bledsoe (ed.). Institute of Forest Resources, University of Washington, Seattle. Pp: 79-86.
- Ehleringer, J.R. 1991. $^{13}\text{C}/^{12}\text{C}$ Fractionation and its utility in terrestrial plant studies. *En: Carbon Isotope Techniques.* Coleman, D.C. y B. Fry (eds.). Academic Press. San Diego.
- Ehleringer, J.R. y C.S. Cook. 1991. Carbon isotope discrimination and xylem hydrogen isotope ratios in desert plants. *En: Stable Isotopes in Plant Nutrition, Soil Fertility, and Environmental Studies.* IAEA. Vienna. Pp. 489-497.
- Elberse, W.Th. y F. Berendse. 1993. A comparative study of the growth and morphology of eight grass species from habitats with different nutrient availabilities. *Functional Ecology* **7**: 223-229.
- Engelstad, O.P. y E.S. Allen. 1971. Effect of form and proximity of added nitrogen on crop uptake of phosphorus. *Soil Sci.* **112**: 330-337.
- Escarré, A., Ferrés, L., López, R., Martín, J., Rodà, F. y J. Terradas. 1987. Nutrient use strategy by ever-green oak (*Quercus ilex* ssp *ilex*) in NE Spain. *En: Plant responses to stress.* Tenhunen, J.D., Catarino, F.M., Lange O.L. y W.C. Oechel (eds.). Springer, Berlin. Pp: 429-435.
- Escarré, A., Rodà, F., Terradas, J. y X. Mayor. 1999. Nutrient distribution and cycling. *En: Ecology of mediterranean evergreen oak forests.* Rodà, F., Retana, J., Gracia, C.A. y J. Bellot (eds.). Springer-Verlag, Berlin-Heidelberg. Ecological Studies, vol. 137. 253-269.
- Escudero Alameda, J., Díaz Barrionuevo, A. y M. Cortijo Martínez. 1997. Lodos de depuración de aguas residuales como fertilizantes agrícolas y forestales. *En: Libro de actas del I Congreso Forestal Hispano-Luso.* Tomo II. Pamplona, 23-27 Junio 1997. Pp: 301-306.

- Escudero, A., Del Arco, J.M., Sanz, I.C. y J. Ayala. 1992. Effects of leaf longevity and retranslocation efficiency on the retention time of nutrients in the leaf biomass of different woody species. *Oecologia* **90**: 80-87.
- Espelta, J.M. 1996. *La regeneració de boscos d'alzina (Quercus ilex L.) i pi blanc (Pinus halepensis Mill.): Estudi experimental de la resposta de les plàntules a la intensitat de llum i a la disponibilitat d'aigua*. Tesi Doctoral. Universitat Autònoma de Barcelona.
- Fahey, T.J.; Battles, J.J. y G.F. Wilson. 1998. Responses of early successional northern hardwood forests to changes in nutrient availability. *Ecological Monographs* **68**(2): 183-212.
- Farquhar, G.D., O'Leary, M.H. y J.A. Berry. 1982. On the relationship between carbon isotope discrimination and the intercellular carbon dioxide concentration in leaves. *Aust. J. Plant Physiol.* **9**: 121-137.
- Ferran, A. 1996. *La fertilitat de sòls forestals en la regeneració després del foc de diferents ecosistemes mediterranis*. Tesi Doctoral. Universitat de Barcelona.
- Ferran, A., Castell, C., Farràs, A., López, L. y V.R. Vallejo. 1991b. Els efectes del foc en pinedes de la Catalunya Central. *Butll. Inst. Cat. Nat.* **59**: 129-143.
- Ferran, A., Delitti, W. y V.R. Vallejo. 1998. Effects of different fire recurrences in *Quercus coccifera* communities of the Valencia region (Spain). *En: III International Conference on Forest Fire Research. Proceedings, Vol. II. Viegas, D.X. (ed.)*. Pp: 1555-1569.
- Ferran, A., Serrasolsas, I. y V.R. Vallejo. 1991a. Soil evolution after fire in *Quercus ilex* and *Pinus halepensis* forests. *En: 1st European Symposium on Terrestrial Ecology. Florence, Italy*.
- Fons, J. 1995. *Avaluació de la fertilitat de sòls forestals mediterranis. el cas de les pinedes de pi blanc (Pinus halepensis Mill.)*. Tesi doctoral. Universitat de Barcelona.
- Fons, J. y V.R. Vallejo. 2000. Estrategia nutricional de *Rosmarinus officinalis* y *Genista scorpius* en campos abandonados. *En: Simposio de la AEET: Aspectos funcionales de los ecosistemas Mediterráneos. Granada*.
- Fonseca, D. E. 1999. Manipulación de las características morfoestructurales de plantones de especies forestales mediterráneas producidos en vivero. Implicaciones sobre su viabilidad y adaptación a condiciones de campo en ambiente semiárido. Tesis de Máster. Instituto Agronómico de Zaragoza, CIHEAM. Zaragoza.
- Fresquez, P.R., Francis, R.E. y G.L. Dennis. 1990. Sewage sludge effects on soil and plant quality in a degraded, semiarid grassland. *J. Environ. Qual.* **19**: 324-329.
- Fuentes, D. 2000. *Caracterización de repoblaciones forestales de Pinus halepensis Mill. en la provincia de Valencia con clima Mesomediterráneo seco*. Proyecto final de carrera. Universitat de Lleida.
- García Cano, M.F. 1998. *Avaluació de la pèrdua de nutrients i dels canvis en la fertilitat del sòl en un matollar de Ulex parviflorus afectat pel foc i la pluja torrencial*. Tesi de llicenciatura. Universitat d'Alacant.
- García, C., Hernández, T., Costa, F. y B. Ceccanti. 1994. Biochemical parameters in soils regenerated by the addition of organic matter. *Waste Management and Research*, **12**: 457-466.
- Garrison, M.T., Moore, J.A., Shaw, T.M. y P.G. Mika. 2000. Foliar nutrient and tree growth response of mixed-conifer stands to three fertilization treatments in northeast Oregon and north central Washington. *For. Ecol. Manage.* **132**: 183-198.
- Garten, C.T.Jr. 1976. Correlations between concentrations of elements in plants. *Nature* **261**: 686-688.
- Generalitat Valenciana. 1995. *Plan de reforestación de la Comunidad Valenciana 1994-1999*.
- Generalitat Valenciana. 1999. *Los montes valencianos en cifras. Extracto del segundo inventario forestal de la Comunidad Valenciana*. Conselleria de Agricultura y Medio Ambiente. 51 pp.
- George, E. y B. Seith. 1998. Long-term effects of a high nitrogen supply to soil on the growth and nutritional status of young Norway spruce trees. *Environmental Pollution* **102**: 301-306.
- Glyphis, J.P. y G.M. Puttick. 1989. Phenolics, nutrition and insect herbivory in some garrigue and maquis plant species. *Oecologia* **78**: 259-263.
- Godron, M., Guillermin, J.L., Poissonet, J., Poissonet, P., Thiault, M. y L. Trabaud. 1981. Dynamics and management of vegetation. *En: Ecosystems of the world. XI. Mediterranean-type shrublands*. F. Di Castri, D.W. Goodall y R.L. Specht (eds.). Elsevier. Amsterdam. Pp: 317-344.
- Gómez Jover, F. y F.J. Jiménez. 1998. *Un programa de forestación de superficies agrarias*. MAPA. Madrid. 383 pp.
- Gómez Sanz, V. y R. Elena Rosselló. 1997. Investigación de las marras causadas por factores ecológicos de naturaleza meteorológica. *Cuadernos de la SECF* **4**: 13-25.
- Gordo, J. y L. Gil. 1990. Los bosques españoles en el Catálogo de Montes de Utilidad Pública. *Ecología* (fuera de serie) **1**: 113-128.

- Gracia, C.A., Sabaté, S., Martínez, J.M. y E. Albeza. 1999. Functional responses to thinning. *En: Ecology of Mediterranean evergreen oak forests*. F. Rodà, J. Retana, C.A. Gracia y J. Bellot (eds.). Springer-Verlag, Berlin-Heidelberg. Ecological Studies, Vol. 137. Pp: 329-338.
- Graglia, E., Jonasson, S., Michelsen, A. e I.K. Schmidt. 1997. Effects of shading, nutrient application and warming on leaf growth and shoot densities of dwarf shrubs in two arctic-alpine plant communities. *Ecoscience* **4**(2): 191-198.
- Graham, R.T., Harvey, A.E. y M.F. Jurgensen. 1989. Effect of site preparation on survival and growth of Douglas-fir (*Pseudotsuga menziessi* Mirb. Franco.) seedlings. *New Forests* **3**: 89-98.
- Gratani, L. 1996. Leaf and shoot growth dynamics of *Quercus ilex* L. *Acta Oecologica* **17**(1): 17-27.
- Grime, J.P. y A.V. Curtis. 1976. The interaction of drought and mineral nutrient stress in calcareous grasslands. *J. Ecol.* **64**: 975-988.
- Grunes, D.L. 1959. Effect of nitrogen on the availability of soil and fertilizer phosphorus to plants. *Adv. Agron.* **11**: 369-396.
- Guerra, A., Guitián, F., Paneque, G., García, A., Sánchez, J.A., Monturiol, F. y J.L. Mudarra. 1966. *Mapa de suelos de España*.
- Guo, Y., Lockhart, B.R. y T.T. Ku. 1998. Effect of nitrogen and phosphorus fertilization on growth in a sweetgum plantation in Southeastern Arkansas. *South.J.Appl.For.* **22**: 163-168.
- Gupta, G.N., Singh, N., Bohra, N.K. y B. Singh. 1995. Effect of fertilizer application on growth and biomass production of *Ailanthus excelsa* on an arid land. *Annals of Arid Zone* **34**: 121-125.
- Gurr, J.E. y M. Wicklow-Howard. 1994. VA mycorrhizal status of burned and unburned sagebrush habitat. *En: Proceedings - Ecology and Management of Annual Rangelands*, Boisse 1994. S.B. Monsen y S.G. Kitchen (eds.). Intermountain Research Station, Ogden, pp. 132-135.
- Haase, D.L. y R. Rose. 1995. Vector analysis and its use for interpreting plant nutrient shifts in response to silvicultural treatments. *For. Sci.* **41**: 54-66.
- Hakulinen, J., Julkunen-Tiitto, R. y J. Tahvanainen. 1995. Does nitrogen fertilization have an impact on the trade-off between willow growth and defensive secondary metabolism? *Trees - Structure and Function* **9**: 235-240.
- Handley, L.L. y C.M. Scrimgeour. 1997. Terrestrial plant ecology and N-15 natural abundance: The present limits to interpretation for uncultivated systems with original data from a Scottish old field *Advances in Ecological Research*, Vol. **27**: 133-212.
- Handley, L.L., Daft, M.J., Wilson, J., Scrimgeour, C.M., Ingleby, K. y M.A. Sattar. 1993. Effects of ecto- and VA-mycorrhizal fungi *Hydnagium carneum* and *Glomus clarum* on the $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ values of *Eucalyptus globulus* and *Ricinus communis*. *Plant, Cell and Environ.* **16**: 375-382.
- Handley, L.L., Austin, A.T., Robinson, D., Scrimgeour, C.M., Raven, J.A., Heaton, T.H.E., Schmidt, S. y G.R. Stewart. 1999. The ^{15}N abundance of ecosystem samples reflects measures of water availability. *Aust. J. Plant Physiol.* **26**: 185-199.
- Hanway, J.J. y R.A. Olson. 1980. Phosphate nutrition of corn, sorghum, soybeans, and small grains. *En: The role of phosphorus in agriculture*. ASA-CSSA-SSSA. Madison, WI. Pp: 681-692.
- Harrison, R.B., Gessel, S.P., Zabowski, D., Henry, C.L., Xue, D., Cole, D.W. y J.E. Compton. 1996. Mechanisms of negative impacts of three treatments on nutrient availability. *Soil Sci. Soc. Am. J.* **60**: 1622-1628.
- Hasselgren, K. 1998. Use of municipal waste products in energy forestry: highlights from 15 years of experience. *Biomass and Bioenergy* Vol. **15**, No. 1: 71-74.
- Hättenschwiler, S., Miglietta, F., Raschi, A. y C. Körner. 1997. Morphological adjustments of mature *Quercus ilex* trees to elevated CO_2 . *Acta Oecologica* **18**(3): 361-365.
- Haynes, B.E. y S.T. Gower. 1995. Belowground carbon allocation in unfertilized and fertilized red pine plantations in northern Wisconsin. *Tree Physiology.* **15**: 317-325.
- Heaton, T.H.E. 1986. Isotopic studies of nitrogen pollution in the hydrosphere and atmosphere: a review. *Chemical geology* **59**: 87-102.
- Heckathorn, S.A., De Lucia, E.H. y R.E. Zielinski. 1997. The contribution of drought-related decreases in foliar nitrogen concentration to decreases in photosynthetic capacity during and after drought in prairie grasses. *Physiologia Plantarum* **101**: 173-182.
- Henderson, S., Hattersley, P., von Caemmerer, S. y C.B. Osmond. 1995. Are C4 pathway plants threatened by global climatic change? *En: Ecophysiology of photosynthesis*. Schulze, E.D. y M.M. Caldwell (eds.). Springer-Verlag, Berlin. Pp: 529-549.

- Hendricks, J.J., Nadelhoffer, K.J. y J.D. Aber. 1993. Assessing the Role of Fine Roots in Carbon and Nutrient Cycling. *Trends in Ecol. and Evol.* **8**: 174-178.
- Henkin, Z., Noy-Meir, I., Kafkafi, U., Gutman, M. y N.G. Seligman. 1996. Phosphate fertilization primes production of rangeland on brown rendzina soils in the Galilee, Israel. *Agric. Ecosystems Environ.* **59**: 43-53.
- Henkin, Z., Seligman, N.G., Noy-Meir, I., Kafkafi, U. y M. Gutman. 1998. Rehabilitation of Mediterranean dwarf-shrub rangeland with herbicides, fertilizers and fire. *Journal of Range Management.* **51**: 193-198.
- Henry, C.L. y D.W. Cole. 1994. Biosolids utilization in forest lands. *En: Sewage sludge: land utilization and the environment.* ASA-CSSA-SSSA, SSSA Miscellaneous Publication. Madison, WI. Pp: 89-94.
- Henry, C.L., Harrison, R.B. y D.W. Cole. 1995. Forestry. *En: Soil amendments - impacts on biotic systems.* CRC Press, Inc. Pp: 99-120.
- Herranz Sanz, J.M.. 2000. Aspectos botánicos y ecológicos del pino carrasco (*Pinus halepensis* Mill.). *Cuad. Soc. Esp. Cienc. For.* **10**: 13-17.
- Herrero Cardillo, E., Walter, I. y M. López Arias. 1997. Mejora de la capacidad de regeneración natural de suelos degradados mediante la incorporación de un compost de lodo residual. *En: Libro de actas del I Congreso Forestal Hispano-Luso. Tomo II. Pamplona, 23-27 Junio 1997.* Pp: 385-390.
- Holopainen, J.K., Rikala, R., Kainulainen, P. y J. Oksanen. 1995. Resource partitioning to growth, storage and defence in nitrogen fertilized Scots pine and susceptibility of the seedlings to the tarnished plant bug *Lygus rugulipennis*. *New Phytol.* **131**: 521-532.
- Honrubia, M. 1995. Efecto de las micorrizas en la restauración de zonas afectadas por incendios forestales de la Comunidad Valenciana. *En: Plan de Reforestación de la Comunidad Valenciana 1994-1999, Generalitat Valenciana, Conselleria de Medi Ambient, pp. 71-72.*
- Huante, P., Rincón, E. e I. Acosta, 1995a. Nutrient availability and growth rate of 34 woody species from a tropical deciduous forest in Mexico. *Functional Ecology* **9**: 849-858.
- Huante, P., Rincón, E. y F.S. Chapin III. 1995b. Responses to phosphorus of contrasting successional tree-seedling species from the tropical deciduous forest of Mexico. *Functional Ecology* **9**: 760-766.
- Huesca, M.T., Cortina, J. y J. Bellot. 1999. Gorse (*Ulex parviflorus*) control through fertilization. *En: MEDESERT'99. Synergies in desertification processes in the mediterranean region. Workshop abstracts.* Pp: 181.
- Huesca, M.T., Cortina, J., Bellot, J. y J.R. Ehleringer. 2000. Estado nutricional y composición isotópica de carbono en arbustos mediterráneos tras la adición de nitrógeno y fósforo. *En: Reunión de la AEET, Granada.*
- Hüttl, R. 1986. Forest fertilisation: results from Germany, France and the Nordic countries. *The Fertiliser Society. Proceedings No. 250, 40 pp.*
- Ibáñez Granell, A., Ingelmo Sánchez, F., García Camarero, J. y A. Sanchís. 1994. Regeneración de suelos en cultivos abandonados mediante el uso de lodos y cubiertas vegetales. *Stvdia Oecologica X-XI*: 101-107.
- Ingestad, T. 1979. Mineral nutrient requirement of *Pinus sylvestris* and *Picea abies* seedlings. *Physiologia Plantarum* **45**: 373-380.
- Ingestad, T. y G.I. Agren. 1991. The influence of plant nutrition on biomass allocation. *Ecol. Appl.* **1**: 168-174.
- Jenkinson, D.S., Coleman, K. y D.D. Harkness. 1995. The influence of fertilizer nitrogen and season on the carbon-13 abundance of wheat straw. *Plant and Soil* **171**: 365-367.
- Johnson, J.E., Bollig, J.J. y R.A. Rathfon. 1997. Growth response of young yellow-poplar to release and fertilization. *South. J. Appl. For.* **21**: 175-179.
- Jokela, E.J. y W.H. Smith. 1991. Disposal and recycling of composted municipal waste in a slash pine plantation. *En: Third Australian Forest Soils and Nutrition Conference.* Pp: 112.
- Jonasson, S., Medrano, H. y J. Flexas. 1997. Variation in leaf longevity of *Pistacia lentiscus* and its relationship to sex and drought stress inferred from leaf $\delta^{13}C$. *Func. Ecol.* **11**: 282-289.
- Jones, J.B.Jr. y V.W. Case. 1990. Sampling, handling, and analyzing plant tissue samples. *En: Soil testing and plant analysis.* R.L. Westerman (ed.). SSSA Book Series nº 3. Madison, WI. Pp: 389-427.
- Joon Lee, K. 1984. Growth response of *Pinus rigida* x *P. taeda* to mycorrhizal inoculation and efficiency of *Pisolithus tinctorius* at different soil texture and fertility with organic amendment. *Journal of Korean Forestry Society*, **64**: 11-19.
- Kachi, N e I.H. Rorison. 1991. Root and shoot activity of two grasses with contrasted growth rates in response to low nutrient availability and temperature. *En: Plant root growth. An ecological perspective.* D. Atkinson (ed.). Blackwell Scientific Publications. Oxford. Pp: 147-159.

- Keeley, J.E. 1986. Resilience of Mediterranean shrub communities to fires. *En: Resilience in Mediterranean-type Ecosystems*. Dell, B., Hopkins, A.J.M. y B.B. Lamont (eds.). Dr. W. Junk. Publ. The Netherlands. Pp: 95-112.
- Kelley, K.R., Scheib, R.H. y P.M. Giordano. 1991. Transformations of N in soils amended with sewage sludge. *En: IAEA*. Pp. 331-333.
- Kilian, W. y J. Fanta. 1998. Degradation of forest sites and possibilities of recovery. *Ecological Engineering* **10**: 1-3.
- Killham, K. 1994. *Soil Ecology*. Cambridge University Press, Cambridge.
- King, L.D. y H.D. Morris. 1972. Land disposal of liquid sewage sludge : I. The effect on yield, *in vivo* digestibility and chemical composition of coastal bermudagrass (*Cynodon dactylon* L. Pers). *J. Environ. Qual.* **1** : 325-329.
- Kirkby, E.A. y A.H. Knight. 1977. The influence of the level of nitrate nutrition on ion uptake and assimilation, organic acid accumulation and cation-anion balance in whole tomato plants. *Plant Physiol.* **60**: 349-353.
- Kolb, T.E., Steiner, K.C., McCormick, L.H. y T.W. Bowersox. 1990. Growth response of northern-oak and yellow-poplar seedlings to light, soil moisture and nutrients in relation to ecological strategy. *For. Ecol. Manage.* **38**: 65-78.
- Kosola, K.R. y D.M. Eissensat. 1994. The fate of surface roots of citrus seedlings in dry soils. *Journal Exp Botany* **45**: 1639-1645.
- Kozlowski, T.T., Kramer, P.J. y S.G. Pallardy. 1991. *The physiological ecology of woody plants*. Academic Press, Inc., San Diego.
- Kummerow, J. 1980. Adaptations of roots in water-stressed native vegetation. *En: Adaptations of plants to water and high temperature stresses*. N.C.Turner y P.J.Kramer (eds.). Wiley, New York. Pp: 55-73.
- Labrecque, M., Teodorescu, T.I. y S. Daigle. 1995. Effect of wastewater sludge on growth and heavy metal bioaccumulation of two *Salix* species. *Plant and Soil* **171**: 303-316.
- Lajtha, K. y J. Getz. 1993. Photosynthesis and water-use efficiency in pinyon-juniper communities along an elevational gradient in northern New Mexico. *Oecologia* **94**: 95-101.
- Lajtha, K. y J.D. Marshall. 1994. Sources of variation in stable isotopic composition of plants. *En: Stable Isotopes in Ecology and Environmental Science*. Lajtha, K. y R.H. Michener (eds.). Blackwell Sci. Publ. Oxford. Pp. 1-21.
- Lambers, H., Chapin III, F.S. y T.L. Pons. 2000. *Plant physiological ecology*. Springer, New York.
- Lee, H.S.J., Overdieck, D. y P.G. Jarvis. 1998. Biomass, growth and carbon allocation. *En: European forests and global change: The likely impacts of rising CO₂ and temperature*. P.G.Jarvis (ed.). Cambridge University Press. Pp: 126-191.
- Lepart, J. y M. Debussche, 1992. Human impact on landscape patterning: Mediterranean examples. *En: Landscape boundaries*. Hansen, A.J. y F. Di Castri (eds.). Springer-Verlag, New York. Pp: 76-106.
- Linder, S. y D.A. Rook. 1984. Effects of mineral nutrition on carbon dioxide exchange and partitioning of carbon in trees. *En: Nutrition of plantation forests*. G.D. Bowen y E.K.S. Nambiar (eds.). Academic Press, Orlando. Pp: 211-236.
- Livingston, N.J., Guy, R.D., Sun, Z.J. y G.J. Ethier. 1999. The effects of nitrogen stress on the stable carbon isotope composition, productivity and water use efficiency of white spruce (*Picea glauca* (Moench) Voss) seedlings. *Plant Cell and Environment* **22**: 281-289.
- Lledó, M.J. 1982. *Datos energéticos, estructurales y químicos de Pinus halepensis Mill. en el pinar de Sierra Espuña (provincia de Murcia)*. Tesina de Licenciatura. Universidad de Alicante.
- Llovet, J., Bautista, S. y A. Cerdá-Bolinches. 1994. Influencia de las lluvias otoñales sobre la respuesta hidrológica y erosiva post-incendio de los suelos en ambiente semiárido. *En: Geomorfología en España*. J. Arnáez, J.M. García Ruiz, y A. Gómez Villar (eds.). SEG, Logroño. Pp: 81-92.
- Loch, R.J., Constantini, A., Barry, G.A. y E.K. Best. 1995. Evaluation of potential to dispose of sewage sludge. II. Potential for off-site movements of solids and solutes. *Aust. J. Soil. Res.* **33**: 1053-1062.
- López-Bermúdez, F. y J. Albaladejo. 1990. Factores ambientales de la degradación del suelo en el área Mediterránea. *En: Degradación y regeneración del suelo en condiciones ambientales Mediterráneas*. J. Albaladejo, M.A. Stocking, y E. Díaz (eds.). CSIC. Pp: 15-45.
- Lucas, R.E. y J.F. Davis. 1961. Relationships between pH values of organic soils and availabilities of 12 plant nutrients. *Soil Sci.* **92**: 177-182.
- Macko, S.A. y N.E. Osborn. 1994. Pollution studies using stable isotopes. *En: Stable Isotopes in Ecology and Environmental Science*. Lajtha, K. y R.H. Michener (eds.). Blackwell Sci. Publ. Oxford. Pp. 45-63.

- Mamolos, A.P., Elisseou, G.K. y D.S. Veresoglu. 1995. Depth of root activity of coexisting grassland species in relation to N and P additions, measured using nonradioactive tracers. *Journal of Ecology* **83**: 643-652.
- Margaris, N.S., Adamandiadou, S., Siafaca, L. y J. Diamantopoulos. 1984. Nitrogen and phosphorus content in plant species of Mediterranean ecosystems in Greece. *Vegetatio* **55**: 29-35.
- Marshall, T.J. y J.W. Holmes. 1988. *Soil physics*. Cambridge University Press, Cambridge.
- Martín Mateo, R. 1996. Situación actual y perspectivas futuras de la reutilización de aguas residuales como fuente de recursos hidráulicos. En: Jornada Aprovechamiento del Agua Depurada en la Comunidad Valenciana. Sanejament d'Aigües-Generalitat Valenciana. Valencia. Pp: 24-47.
- Martínez, F.F., Castillo, V., Bago, D., Roldán, A. y J. Albadalejo. 1999. Reforestación en áreas mediterráneas semiáridas. Evaluación de nuevas técnicas: adición de residuos sólidos urbanos. *Foresta* octubre 1999: 136-139.
- Marx, D.H., Berry, C.R. y P.P. Kormanik. 1995. Application of municipal sewage sludge to forest and degraded land. En: Agricultural utilization of urban and industrial by-products. ASA, CSSA, SSSA. Madison, WI. Pp: 275-295.
- Mason, P.A., Ingleby, K., Munro, R.C., Wilson, J. y K. Ibrahim. 2000. Interactions of nitrogen and phosphorus on mycorrhizal development and shoot growth of *Eucalyptus globulus* (Labill.) seedlings inoculated with two different ectomycorrhizal fungi. *For. Ecol. Manage.* **128**: 259-268.
- Maze, J. y A. Vyse. 1993. An analysis of growth, growth increments, and the integration of growth increments in a fertilizer test of *Picea engelmannii* in South-Central British Columbia. *Can.J.Bot.* **71**: 1449-1457.
- McCook, L.J. 1994. Understanding ecological community succession: Casual models and theories, a review. *Vegetatio* **110**: 115-147.
- McGill, W.B. y C.V. Cole. 1981. Comparative aspects of cycling of organic C, N, S and P through soil organic matter. *Geoderma* **26**: 267-286.
- Medina, E. 1981. *Nitrogen content, leaf structure and photosynthesis in higher plants*. Report to the United Nations Environmental Program study group on photosynthesis and productivity. Instituto Venezolano de Investigaciones Científicas. 47 pp.
- Mengel, K. y E.A. Kirkby. 1987. *Principles of plant nutrition*. International Potash Institute (publ.), Bern.
- Mesón, M. y M. Montoya. 1993. *Selvicultura Mediterránea*. Ed. Mundi Prensa. 368 pp.
- Miller, H.G. 1990. Management of water and nutrient relations in European forests. *For.Ecol.Manage.* **30**: 425-436.
- Miller, R.J., Peverly, J.H. y D.E. Koeppel. 1972. Calcium-stimulated ³²P accumulation by corn roots. *Agron. J.* **64**: 262-266.
- Mitchell, A.K., Barclay, H.J., Brix, H., Pollard, D.F.W., Benton, R. y R. Dejong. 1996. Biomass and nutrient element dynamics in Douglas-fir: Effects of thinning and nitrogen fertilization over 18 years. *Can. J. For. Res.* **26**: 376-388.
- MMA. 2000. *Estrategia forestal española*. 240 pp.
- Moffat, A.J. y D. Bird. 1989. The potential for using sewage sludge in forestry in England and Wales. *Forestry* **1**-17.
- Moffat, A.J., Matthews, R.W. y J.E. Hall. 1991. The effects of sewage sludge on growth and foliar and soil chemistry in pole-stage Corsican pine at Ringwood Forest, Dorset, UK. *Can.J.For.Res.* **21**: 902-909.
- Montoya, J.M. 1993. *Encinas y encinares*. Ed. Mundi-Prensa. Madrid. 134 pp.
- Moreno, J.M., Vázquez, A. y R. Vélez. 1998. Recent history of forest fires in Spain. En: Large forest fires. Moreno, J.M. (ed.). Backhuys, Leiden. Pp: 159-185.
- Moreno-Peñaranda, R. 2000. Plant species diversity as indicator of restoration quality: the case of soils amended with sewage sludge in abandoned quarries. En: Desertification in Europe: mitigation strategies, land use planning. Enne,G., Zanolli, Ch. y D. Peter (eds.). European Communities. Brussels. Pp: 382-392.
- Mou, P., Mitchell, R.J. y R.H. Jones. 1997. Root distribution of two tree species under a heterogeneous nutrient environment. *Journal of Applied Ecology* **34**: 645-656.
- Munson, A.D. y P.Y. Bernier. 1993. Comparing natural and planted black spruce seedlings. II. Nutrient uptake and efficiency of use. *Can. J. For. Res.* **23**: 2435-2442.
- Murphy, J. y J.P. Riley. 1962. A modified single solution method for determination of phosphate in natural waters. *Anal. Chim. Acta* **27**: 31-36.
- Nadeau, L.B. y D.J. Pluth. 1997. Spatial distribution of lodgepole pine and white spruce seedling roots 10 years after deep tillage of a Gray Luvisol. *Can.J.For.Res.* **27**: 1606-1613.

- Nadelhoffer, K.J. y B. Fry. 1994. Nitrogen isotope studies in forest ecosystems. *En: Stable Isotopes in Ecology and Environmental Science*. Lajtha, K. y R.H. Michener (eds.). Blackwell Sci. Publ. Oxford. Pp. 22-44.
- Nambiar, E. K. S. y P.G. Zed. 1980. Influence of weeds on the water potential, nutrient content and growth of young radiata pine. *Aust. For. Res.* **10**: 279-288.
- Nambiar, E.K.S. y D.N. Fife. 1987. Growth and nutrient retranslocation in needles of radiata pine in relation to nitrogen supply. *Annals of Botany* **60**: 147-156.
- Navarro Pedreño, J., Moral Herrero, Gómez Lucas, I. y J. Mataix Beneyto. 1995. Residuos orgánicos y agricultura. Publicaciones de la Universidad de Alicante. Alicante. 108 pp.
- Navas, A., Machín, J. y B. Navas. 1999. Use of biosolids to restore the natural vegetation on degraded soils in the badlands of Zaragoza (NE Spain). *Bioresource Technology* **69**: 199-205.
- Ne'eman, G. y S. Gonbitz. 1999. Phenology of East Mediterranean vegetation. *En: Life and environment in the Mediterranean*. Wit Press, Southampton. Pp: 155-201.
- Newton, A.C. y C.D. Pigott. 1991. Mineral nutrition and mycorrhizal infection of seedling oak and birch. II. The effect of fertilizers on growth, nutrient uptake and ectomycorrhizal infection. *New Phytol.*, **117**: 45-52.
- Nielsen, E.T. y D.M. Orcutt. 1996. *Physiology of plants under stress*. J. Wiley & Sons. New York. 689 pp.
- Nilsen, P. 1995. Effect of nitrogen on drought strain and nutrient uptake in Norway spruce *Picea abies* (L) Karst. trees. *Plant and Soil* **172**: 73-85.
- Nilsson, L.O. y K. Wiklund. 1995. Nutrient balance and P, K, Ca, Mg, S and B accumulation in a Norway spruce stand following ammonium sulphate application, fertigation, irrigation, drought and N-free- fertilisation. *Plant and Soil* **168-169**: 437-446.
- Norusis, M.J. 1992. *SPSS for Windows*. SPSS Inc., Chicago.
- Oades, J.M. 1988. The retention of organic matter in soils. *Biogeochemistry* **5**: 35-70.
- Olcina, J. 1994. *Riesgos climáticos en la Península Ibérica*. Libros Penthalon. Madrid.
- Oliet, J.A. 1995. *Influencia de la fertilización en vivero sobre la calidad de la planta y la supervivencia en campo de varias especies forestales*. Tesis Doctoral. Universidad de Córdoba.
- Ortuño, F. 1990. El plan para la repoblación forestal en España del año 1939. Análisis y comentarios. *Ecología Fuera de Serie* n°1: 373-392.
- Paliwal, K., Karunaichamy, K.S.T.K. y M. Ananthavalli. 1998. Effect of sewage water irrigation on growth performance, biomass and nutrient accumulation in *Hardwickia binata* under nursery conditions. *Bioresource Technology* **66(2)**: 105-111.
- Paquin, R., Margolis, H.A. y R. Doucet. 1998. Nutrient status and growth of black spruce layers and planted seedlings in response to nutrient addition in the boreal forest of Quebec. *Can.J.For.Res.* **28**: 729-736.
- Paul, E.A. y F.E. Clark. 1989. *Soil microbiology and biochemistry*. Academic Press. 275 pp.
- Pausas, J.G. 1999. Response of plant functional types to changes in the fire regime in Mediterranean ecosystems: A simulation approach. *Journal of Vegetation Science* **10**: 717-722.
- Pausas, J.G., Carbó, E., Caturla, R.N., Gil, J.M. y R. Vallejo. 1999. Post-fire regeneration patterns in the eastern Iberian Peninsula. *Acta Oecologica* **20**: 499-508.
- Peñuelas, J., Filella, I. y J. Terradas. 1999. Variability of plant nitrogen and water use in a 100-m transect of a subdesertic depression of the Ebro valley (Spain) characterized by leaf delta ¹³C and delta ¹⁵N. *Acta Oecol. Oecol. Appl.* **20**: 119-123.
- Peñuelas, J.L. 1996. Expériences de plantations en terrain agricole. *Cah. Options Méditerran.* vol **20**: 123-138.
- Peñuelas, J.L., Ocaña, L., Domínguez, S. e I. Renilla. 1997. Experiencias sobre control de la competencia herbácea en repoblaciones de terrenos agrícolas abandonados. Resultados de tres años de campo. *Cuadernos SECF* **4**: 119-126.
- Pibot, A. 1998. Le recyclage des sous-produits de l'épuration des eaux résiduaires urbaines en forêt méditerranéenne. *Forêt Méditerranéenne* **XIX** n°1: 34-40.
- Powers, R.F. 1984. Estimating soil N availability through soil and foliar analysis. *En: forest soils & treatment impacts*. Proceedings of the 6th North American forest soils conference, Knoxville, June 1983. E.L. Stone (ed.). Pp: 353-379.
- Powlson, D.S. y D. Barraclough. 1993. Mineralization and assimilation in soil-plant systems. *En: Nitrogen Isotope Techniques*. Knowles, R. y T.H. Blackburn (eds.). Academic Press. San Diego. Pp. 209-242.
- Prescott, C.E. y L.M. Zabek. 1997. Growth response and nutrient availability in western redcedar plantations following amendment with fish-wood compost and straw. *Can. J. For. Res.* **27**: 598-602.
- Prior, S.A., Runion, G.B., Mitchell, R.J., Rogers, H.H. y J.S. Amthor. 1997. Effects of atmospheric CO₂ on longleaf pine: Productivity and allocation as influenced by nitrogen and water. *Tree Physiol.* **17**: 397-405.

- Proe, M.F. y P. Millard. 1994. Relationships between nutrient supply, nitrogen partitioning and growth in young Sitka spruce (*Picea sitchensis*). *Tree Physiol* **14**: 75-88.
- Puigdefàbregas, J. y T. Mendizabal. 1998. Perspectives on desertification: western Mediterranean. *Journal of Arid Environments* **39**: 209-224.
- P'yankov, V.I., Yashkov, M.Y., Reshetova, E.A. y A.A. Gangardt. 2000. Assimilate transport and partitioning in Middle Ural plants differing in their ecological strategies. *Russian Journal of Plant Physiology* **47**: 1-9.
- Querejeta, J.I. 1998. *Efectos del tratamiento combinado de suelo y planta sobre una repoblación con Pinus halepensis Mill. en ambiente semiárido*. Tesis Doctoral. Universidad de Murcia.
- Querejeta, J.I., Roldán, A., Albaladejo, J. y V. Castillo. 1998. The role of mycorrhizae, site preparation, and organic amendment in the afforestation of a semi-arid Mediterranean site with *Pinus halepensis*. *Forest Science* **44** (2): 203-211.
- Quézel, P. 2000. Taxonomy and biogeography of Mediterranean pines (*Pinus halepensis* and *P. brutia*). En: Ecology, biogeography and management of *Pinus halepensis* and *P. brutia* forest ecosystems in the Mediterranean basin. Ne'eman, G. y L. Trabaud (eds.). Backhuys Publishers. Leiden. Pp: 1-12.
- Raich, J.W., Riley, R.H. y P.M. Vitousek. 1994. Use of root-ingrowth cores to assess nutrient limitations in forest ecosystems. *Can.J.For.Res.* **24**: 2135-2138.
- Rapp, M., Santa Regina, I., Rico, M. y H.A. Gallego. 1999. Biomass, nutrient content, litterfall and nutrient return to the soil in Mediterranean oak forests. *For. Ecol. Manage.* **119**: 39-49.
- Régent Instruments Inc. & Groupe de Recherche en Écologie Forestière. 1997. *Win/MacRhizo V 3.6. Reference Manual*. Université de Québec à Montreal. Québec. 46 pp.
- Reich, P.B., Walters, M.B. y D.S. Ellsworth. 1992. Leaf life-span in relation to leaf, plant, and stand characteristics among diverse ecosystems. *Ecological Monographs* **62**(3): 365-392.
- Reid, R.L. 1980. Relationship between phosphorus nutrition of plants and the phosphorus nutrition of animals and man. En: The role of phosphorus in agriculture. ASA-CSSA-SSSA. Madison, WI. Pp: 847-886.
- Remphrey, W.R. y C.G. Davidson. 1996. The effect of nitrogen on growth and architecture of *Fraxinus pennsylvanica* 'Patmore' (green ash) in field-grow containers at two sites in Manitoba, Canada. *Can. J. Plant. Sci.* **76**: 825-833.
- Rey Benayas, J.M. 1998. Growth and survival in *Quercus ilex* L. seedlings after irrigation and artificial shading on Mediterranean set-aside agricultural land. *Ann Sci For* **55**: 801-807.
- Richardson, D.M. y P.W. Rundel. 1998. Ecology and biogeography of *Pinus*: an introduction. En: Ecology and biogeography of *Pinus*. Richardson, D.M. (ed.). Cambridge University Press. Pp: 3-46.
- Richter, D.D., Johnson, D.W. y D.M. Ingram. 1982. Effects of municipal sewage sludge-cake on nitrogen and phosphorus distributions in a pine plantation. En: Fifth Annual Madison Conference of Applied Research and Practice on Municipal and Industrial Waste. Department of Engineering and Applied Science, University of Wisconsin, Madison. Pp: 532-546.
- Rigueiro-Rodríguez, A., Mosquera-Losada, R., Gatica-Trabanini, E. y A. Castelao-Gegunde. 1997. Repoblación de *Pinus radiata* D. Don sobre pastizal implantado: crecimiento en altura y diámetro en los primeros años. En: Libro de Actas del I Congreso Forestal Hispano Luso. Tomo III. Pamplona, 23-27 Junio 1997. Pp: 539-544.
- Rincón, E. y P. Huante. 1994. Influence of mineral nutrient availability on growth of tree seedlings from the tropical deciduous forest. *Trees* **9**: 93-97.
- Rivas Martínez, S. 1987. Mapa de series de vegetación de España y Memoria. ICONA.
- Robson, A.D., Edwards, D.G. y J.F. Loneragan. 1970. Calcium stimulation of phosphate absorption by annual legumes. *Aust. J. Agric. Res.* **21**: 601-612.
- Rodà, F., Mayor, X., Sabaté, S. y V. Diego. 1999. Water and nutrient limitations to primary production. En: Ecology of Mediterranean evergreen oak forests. F. Rodà, J. Retana, C.A. Gracia y J. Bellot (eds.). Springer-Verlag, Berlin-Heidelberg. Ecological Studies, Vol. 137. Pp: 183-194.
- Rodgers, C.S. y R.C. Anderson. 1995. Plant growth inhibition by soluble salts in sewage sludge-amended mine spoils. *J. Environ. Qual.* vol. **24**, no. 4: 627-630.
- Roldán, A., García-Orenes, F. y A. Lax. 1994. An incubation experiment to determine factors involving aggregation changes in an arid soil receiving urban refuse. *Soil Biol. Biochem.*, **26**: 1699-1707.
- Roldán, A., Querejeta, I., Albaladejo, J. y V. Castillo. 1996. Survival and growth of *Pinus halepensis* Miller seedlings in a semi-arid environment after forest soil transfer, terracing and organic amendments. *Ann Sci For* **53**: 1099-1112.

- Romanyà, J. y V.R. Vallejo. 1996. Nutritional status and deficiency diagnosis of *Pinus radiata* plantations in Spain. *For.Sci.* **42**: 192-197.
- Royo Moraga, A., Gil Sánchez, L. y J.A. Pardos Carrión. 2000. Efecto de la fecha de plantación sobre la supervivencia y el crecimiento del pino carrasco. *Cuad. Soc. Esp. Cien. For.* **10**: 57-62.
- Royo, A., Fernández, M., Gil, L., González, E., Puelles, A., Ruano, R. y J.A. Pardos. 1997. La calidad de la planta de vivero de *Pinus halepensis* Mill. destinada a repoblación forestal. Tres años de resultados en la Comunidad Valenciana. *Montes* **50**: 29-39.
- Runion, G.B., Mitchell, R.J., Green, T.H., Prior, S.A., Rogers, H.H. y D.H. Gjerstad. 1999. Longleaf pine photosynthetic response to soil resource availability and elevated atmospheric carbon dioxide. *Journal of Environmental Quality* **28**: 880-887.
- Sabaté, S. y Gracia, C. 1994. Canopy structure and nutrient content of a *Quercus ilex* L. forest of Prades mountains: fertilization and irrigation effects. *For. Ecol. Manage.* **68**: 31-37.
- Sample, E.C., Soper, R.J. y G.J. Racz. 1980. Reactions of phosphate fertilizers in soils. *En: The role of phosphorus in agriculture*. ASA-CSSA-SSSA. Madison, WI. Pp: 263-310.
- Sardans, J. 1997. *Respostes de 4 especies llenyoses mediterrànies a diferent disponibilitat d'aigua i nutrients*. Tesi Doctoral. Universitat de Barcelona.
- Schiess, P. y D.W. Cole. 1981. Renovation of wastewater by forest stands. *En: Municipal sludge application to Pacific Northwest forest lands*. C.L. Bledsoe (ed.). Institute of Forest Resources, University of Washington, Seattle. Pp: 131-148.
- Schoeneberger, M.M., Volk, R.J. y C.B. Davey. 1989. Selection of reference plants and methods for estimating N₂ fixation in mycorrhizal leguminous plants. *Soil Sci. Soc. Am. J.* **53**: 1425-1429.
- Seastedt, T.R., Briggs, J.M., y Gibson, D.J. 1991. Controls of nitrogen limitation in tallgrass prairie. *Oecologia* **87**: 72-79.
- Serrasolsas, I. 1994. *Fertilitat de sòls forestals afectats pel foc: dinàmica del nitrogen i del fòsfor*. Tesi Doctoral. Universitat de Barcelona.
- Sesma, J., Laskurain, N.A., García Mijangos, J., Manzanedo, H. y J. Loidi. 1997. Establecimiento de árboles y arbustos en la restauración de la vegetación potencial en el parque natural de Urkiola: supervivencia y crecimiento de los plantones. *En: Libro de Actas del I Congreso Forestal Hispano-Luso – II Congreso Forestal Español*. Pamplona, 23-27 de junio de 1997. Tomo II. Pp: 617-622.
- Seva, J.P. 1999. Diferentes técnicas de plantación. *En: Reunión de Coordinación del Programa I+D sobre la Restauración de la Cubierta Vegetal en la Comunidad Valencia, Castellón, 22-24 Septiembre 1999*. Pp: 116-129.
- Seva J.P., Vilagrosa, A., Valdecantos, A., Cortina, J., Vallejo, V.R. y J. Bellot. 1996. Mycorrhization et application de compost urbain pour l'amélioration de la survie et de la croissance des semis de *Quercus ilex* ssp *ballota* en milieu sec. *Cah. Options Méditerran.* vol 20: 105-121.
- Shearer, G. y D.H. Kohl. 1993. Natural abundance of ¹⁵N: fractional contribution of two sources to a common sink and use of isotope discrimination. *En: Nitrogen Isotope Techniques*. Knowles, R. y T.H. Blackburn (eds.). Academic Press. San Diego. Pp: 89-125.
- Sheedy, G. 1997. Quelques résultats préliminaires de croissance d'une plantation d'épinette blanche traitée avec boues de station d'épuration. *Note de Recherche Forestiere* No. 78. Gouvernement du Québec. Ministère des Ressources Naturelles.
- Sheriff, D.W., Nambiar, E.K.S. y D.N. Fife. 1986. Relationships between nutrient status, carbon assimilation and water use efficiency in *Pinus radiata* (D. Don) needles. *Tree Physiol.* **2**: 73-88.
- Slick, B.M. y W.R. Curtis. 1985. Guide for the use of organic materials as mulches in reclamation of coal minesoils in the Eastern United States. EN For. Exp. Stn, Broomall PA. Report PB85-193191.
- Smith, J.H. y J.R. Peterson. 1982. Recycling of nitrogen through land application of agricultural, food processing, and municipal wastes. *En: Nitrogen in agricultural soils*. ASA-CSSA-SSSA, Madison. Pp: 791-831.
- Sommers, L.E. y A.L. Sutton. 1980. Use of waste materials as sources of phosphorus. *En: The role of phosphorus in agriculture*. ASA-CSSA-SSSA. Madison, WI. Pp: 515-544.
- Sopper, W.E. y S.N. Kerr. 1979. *Utilization of municipal sewage effluent and sludge on forest and disturbed land*. The Pennsylvania State Univ. Press, Univ. Park, PA.
- Sort, X. 1997. *Propietats estructurals d'un sòl restaurat amd fangs de depuradora*. Tesi Doctoral. Universitat Autònoma de Barcelona.

- Sort, X. y J.M. Alcañiz. 1999. Effects of sewage sludge amendment on soil aggregation. *Land Degradation & Development*. **10**: 3-12.
- Spanos, K.A., Pirrie, A. y S. Woodward. 1999. The effect of fertiliser and shading treatments on rooting efficiency in cuttings of the cupressaceae. *Silvae.Genetica*. **48**: 248-254.
- Sparks, J.P. y J.R. Ehleringer. 1997. Leaf carbon isotope discrimination and nitrogen content for riparian trees along elevational transects. *Oecol.* **109**: 362-367.
- Specht, R.L. 1981. Primary production in mediterranean-climate ecosystems regenerating after fire. *En: Ecosystems of the world. XI. Mediterranean-type shrublands*. Di Castri, F., Goodall, D.W. y R.L. Specht (eds.). Elsevier. Amsterdam.
- Stewart, L. Allender, E., Sandell, P. y P. Kube. 1986. Irrigation of tree plantations with recycled water in Australia: Research developments and case studies. *En: The forest alternative for treatment and utilisation of municipal and industrial wates*. Univ. Washington. Pp: 431-441.
- Stock, W.D. y G.F. Midgley. 1995. Ecosystem response to elevated CO₂: nutrient availability and nutrient cycling. *En: Global change and Mediterranean-type ecosystems*. Moreno, J.M. y W.C.Oechel (eds.). Springer. Ecological Studies v. **117**. Pp: 326-342.
- Stone, D.M. y H.R. Powers. 1989. Sewage sludge increases early growth and decreases fusiform rust infection of nursery-run and rust resistance loblolly pine. *South.J.Appl.For.* **13**: 68-71.
- Stoneman, G.L., Dell, B., y N.C. Turner. 1995. Growth of Eucalyptus marginata (Jarrah) seedlings in mediterranean-climate forest in south-west Australia in response to overstorey, site and fertiliser application. *For.Ecol.Manage.* **79**: 173-184.
- Ström, L. 1997. Root exudation of organic acids: importance to nutrient availability and the calcifuge and calcicole behaviour of plants. *Oikos* **80**: 459-466.
- Tang, Z.M., Chambers, J.L., Guddanti, S., Yu, S. y J.P. Barnett. 1999. Seasonal shoot and needle growth of loblolly pine responds to thinning, fertilization, and crown position. *For.Ecol.Manage.* **120**: 117-130.
- Terradas, J. 1999. Holm oak and holm oak forests: an introduction. *En: Ecology of Mediterranean evergreen oak forests*. F. Rodà, J. Retana, C.A. Gracia y J. Bellot (eds.). Springer-Verlag, Berlin-Heidelberg. Ecological Studies, Vol. 137. Pp: 3- 14.
- Timmer, V.R. 1991. Interpretation of seedling analysis and visual symptoms. *En: Mineral nutrition of conifer seedlings*. Van den Driessche, R. (ed.). CRC Press. Boca Raton. FL. Pp: 113-114.
- Tognetti, R., Minnoci, A., Peñuelas, J., Raschi, A., y M.B. Jones. 2000. Comparative field water relations of three Mediterranean shrub species co-occurring at a natural CO₂ vent. *J. Exp. Bot.* **51**: 1135-1146.
- Torres, P., Honrubia, M., Pérez, P., Díaz, G. y E. Barreno. 1995. Efecto de las micorrizas en la restauración de zonas afectadas por incendios forestales en la Comunidad Valenciana. *Reunión de Coordinación del Plan de Restauración de la Cubierta Vegetal*. Valencia.
- Trabaud, L. 2000. Post-fire regeneration of *Pinus halepensis* forests in the West Mediterranean. *En: Ecology, biogeography and management of Pinus halepensis and P. brutia forest ecosystems in the Mediterranean basin*. Ne'eman, G. y L. Trabaud (eds.). Backhuys Publishers. Leiden. Pp: 257-268.
- Trent, J.D., Svejcar, T.J. y S. Christensen. 1989. Effects of fumigation on growth, photosynthesis, water relations and mycorrhizal development of winter wheat in the field. *Canadian Journal of Plant Science*, **69**: 535-540.
- Tretiach, M. 1993. Photosynthesis and transpiration of evergreen mediterranean and deciduous trees in an ecotone during a growing season. *Acta Oecologica* **14** : 341-360.
- Urie, D.H. 1986. The status of wastewater irrigation of forests, 1985. *En: The forest alternative for treatment and utilisation of municipal and industrial wates*. Univ. Washington. Pp: 26-40.
- Vaitkus, M.R. y K.W. McLeod. 1995. Photosynthesis and water-use efficiency of two sandhill oaks following additions of water and nutrients. *Bull. Torrey Bot. Club* **122**: 30-39.
- Valdecantos, A., Cortina, J., Fuentes, D., Casanova, G., Díaz, J.M., Llavador, F. y V.R. Vallejo. 2001. Use of biosolids for reforestation in the Region of Valencia (E Spain). First results of a pilot project. *En: ORBIT 2001 International Congress. Biological processing of waste: a product-oriented perspective*. Sevilla.
- Valinger, E., Elfving, B. y T. Mörling. 2000. Twelve-year growth response of Scots pine to thinning and nitrogen fertilisation. *For.Ecol.Manage.* **134**: 45-53.
- Vallejo, V.R. y J.A. Alloza. 1998. The restoration of burned lands: the case of Eastern Spain. *En: Large forest fires*. Moreno, J.M. (ed.). Backhuys Publ., Leiden, The Netherlands. Pp: 91-108.
- Vallejo, V.R., Baeza, J., Llovet, J., Valdecantos, A. y J.A. Alloza. 1994. Restoration of burned lands in Eastern Spain. *En: Landscape Degradation in Mediterranean-type Ecosystems*. MEDECOS. Viña del Mar.
- Vallejo, V.R. 1997. *La restauración de la cubierta vegetal en la Comunidad Valenciana*. CEAM, Valencia.

- Vallejo, V.R., Cortina, J., Ferrán, A., Fons, J., Romanyà, J. e I. Serrasolsas. 1998. Sobre els trets distintius dels sòls mediterranis. *Acta Bot.Barç.* **45**: 603-632.
- Vallejo, V.R. 1999. Post-fire restoration in Mediterranean ecosystems. *En: Wildfire management*. Eftichidis, G., Balabanis, P. y A. Ghazi (eds.). Algosystems, Athens. Pp: 199-208.
- Vallejo, V.R., Bautista, S. y J. Cortina. 2000. Restoration for soil protection after disturbances. *En: Life and environment in the Mediterranean*. Trabaud, L. (ed.). WIT Press. Pp: 301-343.
- Van der Eerden, L.J.M. y M. Pérez-Soba. 1992. Physiological responses of *Pinus sylvestris* to atmospheric ammonia. *Trees* **6**: 48-53.
- Väre, H. 1990. Effects of soil fertility on root colonization and plant growth of *Pinus sylvestris* nursery seedlings inoculated with different ectomycorrhizal fungi. *Scand.J.For.Res.* **5**: 493-499.
- Vázquez, F.J., Petrikova, V., Villar, M.C. y T. Carballas. 1996. Use of poultry manure and plant cultivation for the reclamation of burnt soils. *Biol. Fertil. Soils* **22**: 265-271.
- Vilagrosa A., Seva J.P., Valdecantos A., Cortina J., Alloza J.A., Serrasolsas I., Diego V., Abril M., Ferran A., Bellot J., y V.R. Vallejo. 1997a. Plantaciones para la restauración forestal en la Comunidad Valenciana. *En: La Restauración de la Cubierta Vegetal en la Comunidad Valenciana*. V.R. Vallejo ed. CEAM, Valencia. 435-545.
- Vilagrosa, A., Seva, J.P., Valdecantos, A., Hernández, N., Cortina, J., Bellot, J. y V.R. Vallejo. 1997b. Una nueva técnica viverística para la introducción de plantones de *Quercus* ssp. en clima seco y semiárido. *En: Libro de actas del I Congreso Forestal Hispano-Luso*. Tomo III. Pamplona, 23-27 Junio 1997. Pp: 667-678.
- Vilagrosa, A., Caturla, R.N., Hernández, N., Cortina, J., Bellot, J. y V.R. Vallejo. 2001. Reforestación en ambiente semiárido del sureste peninsular. Resultados de las investigaciones desarrolladas para optimizar la supervivencia y el crecimiento de especies autóctonas. *Presentado a: III Congreso Forestal Español*. Granada, Septiembre 2001.
- Villar, M.C., González-Prieto, S.J. y T. Carballas. 1998. Evaluation of three organic wastes for reclaiming burnt soils: improvement in the recovery of vegetation cover and soil fertility in pot experiments. *Biol.Fertil.Soils* **26**: 122-129.
- Villar-Salvador, P., Ocaña, L., Peñuelas, J. e I. Carrasco. 1999. Effect of water stress conditioning on the water relations, root growth capacity, and the nitrogen and non-structural carbohydrate concentration of *Pinus halepensis* Mill. (Aleppo pine) seedlings. *Ann.For.Sci.* **56**: 459-465.
- Vitousek, P.M. 1998. Foliar and litter nutrients, nutrient resorption, and decomposition in Hawaiian *Metrosideros polymorpha*. *Ecosystems* **1**: 401-407.
- Vogt, K., Edmonds, R.L. y D.J. Vogt. 1981. Nitrate leaching in soils after sludge application. *En: Municipal sludge application to Pacific Northwest forest lands*. Bledsoe, C.L. (ed.). Institute of Forest Resources, University of Washington, Seattle. Pp: 59-66.
- Walters, M.B., Kruger, E.L. y P.B. Reich. 1993. Growth, biomass distribution and CO₂ exchange of northern hardwood seedlings in high and low light: relationships with successional status and shade tolerance. *Oecologia* **94**: 7-16.
- Waring, H.D. y P. Snowdon. 1986. Early growth responses by *Pinus radiata* to three mixed fertilizers. *Aust.For.Res.* **16**: 91-95.
- Waring, R.H. y W.H. Schlesinger. 1985. *Forest Ecosystems: Concepts and Management*. Academic Press, Orlando, Florida.
- Watanabe, F.S. y S.R. Olsen. 1965. Test of an ascorbic acid method for determining phosphorus in water and NaHCO₃ extracts from soils. *Soil Soc. Am. Sci. Proc.* **29**: 677-678.
- Weetman, G.F. 1989. Graphical vector analysis technique for testing stand nutritional status. *En: Research Strategies for Long-term Site Productivity*. Dyck, W.J. y C.A. Mees (eds.). Ministry of Forestry. Rotorua, New Zealand. Pp: 93-109.
- Weetman, G.F. y C.G. Wells. 1990. Plant analyses as an aid in fertilizing forests. *En: Soil testing and plant analysis*. SSSA Book Series nº3. Pp: 659-690.
- Weetman, G.F., McDonald, M.A., Prescott, C.E. y J.P. Kimmins. 1993. Responses of western hemlock, Pacific silver fir, and western red cedar plantations on northern Vancouver Island to applications of sewage sludge and inorganic fertilizer. *Can.J.For.Res.* **23**(9): 1815-1820.
- Wells, E.D. y W.G. Warren. 1997. Height growth, needle mass and needle nutrient concentrations of N, P, K, Ca, Mg and Cu in a 6-year-old black spruce peatland. *Scand.J.For.Res.* **12**: 138-148.
- Whitbread-Aburatat, P.H. 1997. The potential of some soil amendments to improve tree growth on metalliferous mine wastes. *Plant and Soil* **192**: 199-217.

- White, C.S., Loftin, S.R. y R. Aguilar. 1997. Application of biosolids to degraded semiarid rangeland: Nine-year responses. *J. Environ. Qual.* **26**: 1663-1671.
- Wicklow-Howard, M.C. 1994. Mycorrhizal ecology of shrub-steppe habitat. En: Proceedings - Ecology and Management of Annual Rangelands, Boisse 1994. Monsen, S.B. y S.G. Kitchen (eds.). Intermountain Research Station, Ogden, pp. 207-210.
- Wiklund, K., Konopka, B. y L.O. Nilsson. 1995. Stem form and growth in *Picea abies* (L) Karst in response to water and mineral nutrient availability. *Scand.J.For.Res.* **10**: 326-332.
- Wild, A. 1992. *Condiciones del suelo y desarrollo de las plantas según Russell*. Ediciones Mundi-Prensa. Madrid.
- Williams, P.T. 1998. *Waste treatment and disposal*. J. Wiley & Sons. Chichester.
- Wilson, S.D. y D. Tilman. 1993. Plant competition and resource availability in response to disturbance and fertilization. *Ecology* **74**: 599-611.
- Witkowski, E.T.F., Mitchell, D.T. y W.D. Stock. 1990. Response of Cape fynbos ecosystem to nutrient additions: shoot growth and nutrient contents of a proteoid (*Leucospermum parile*) and ericoid (*Phyllica cephalantha*) evergreen shrub. *Acta Oecol.* **11**: 311-326.
- Wright, I.J. y M. Westoby. 2000. Cross-species relationships between seedling relative growth rate, nitrogen productivity and root vs leaf function in 28 Australian woody species. *Functional Ecology* **14**: 97-107.
- Xu, Z.H., Simpson, J.A. y D.O. Osborne. 1995. Mineral nutrition of slash pine in subtropical Australia. 1. Stand growth response to fertilization. *Fertilizer Research* **41**: 93-100.
- Yang, R.C. 1985. Effects of fertilization on growth of 30-year-old lodgepole pine in west-central Alberta. Can. For. Serv., North. For. Res. Cent., Edmonton, Alta. Inf. Rep. NOR-X-268.
- Zagas, T., Ganatsas, P., Tsitoni, T. y A. Hatzistathis. 2000. Influence of sewage sludge application on survival and early growth of forest species. En: Protection and restoration of the environment. Thassos, Greece. Pp: 583-590.
- Zasoski, R.J., Cole, D.W. y C.S. Bledsoe. 1983. Municipal sewage sludge use in forests of the Pacific Northwest, U.S.A.: Growth responses. *Waste Management and Research* **1**: 103-104.
- Zhang, J.W., Feng, Z., Cregg, B.M. y C.M. Schumann. 1997. Carbon isotopic composition, gas exchange, and growth of three populations of ponderosa pine differing in drought tolerance. *Tree Physiology* **17**: 461-466.
- Ziegler, H. 1995. Deuterium content in organic material of hosts and their parasites. En: Ecophysiology of photosynthesis. Schulze, E.D. y M.M. Caldwell (eds.). Springer-Verlag, Berlin. Pp: 393-408.
- Zink, T.A. y M.F. Allen. 1998. The effects of organic amendments on the restoration of a disturbed coastal sage scrub habitat. *Restoration Ecology* **6**: 52-58.
- Zobel, B.J., Van Wyck, G. y P. Stahl. 1987. *Growing exotic forests*. J. Wiley & Sons. New York. 508 pp.